

LF	ITEM.NO	EAN	NAME	CUR	PRICE	IMAGE	SPECIFICATION
1	17-50-001	5907695502893	CYBORG 1 HOME GYM HMS	EUR	563.9		Dimensions (unfolded): length: 222 cm width: 157 cm height: 206 cm Length when bench folded: 126 cm Seat dimensions: length: 30,5 cm width: 36,5 cm Backrest dimensions: length: 88 cm width: 32 cm Adjustable seat: 3 levels Maximum gym load: 150 kg Maximum load: on stands: 150 kg on leg press station: 45 kg on arm curl pad: 60 kg on rod and arms: 90 kg Total weight: 69 kg
2	17-50-003	5907695575934	HEKTOR 3 HOME GYM ONE FITNESS	EUR	234.9		Dimensions (unfolded): length: 112 cm width: 120 cm height: 207 cm Stack weight: 45 kg Total weight: 82 kg Maximum user weight: 100 kg



3	17-50-007	5907695590593	TYTAN 7 HOME GYM HMS PREMIUM	EUR	393.9	Frame profile: 6 x 1,5 cm Braided steel cable: strength 1000 kg Double bearings Additional stack cover Adjustable seat: 4 levels Dimensions (unfolded): length: 151 cm width: 116 cm height: 205 cm Backrest dimensions: length: 54 cm width: 26 cm thickness: 5 cm Seat dimensions: length: 33 cm width: 30 cm thickness: 5 cm Stack weight: 67,5 kg Total weight: 142,5 kg Maximum user weight: 100 kg Set includes: single bracket
4	17-50-009	5907695590609	TYTAN 9 HOME GYM HMS PREMIUM	EUR	469.1	Profile frame: 8 x 4 x 1.5 cm Braided steel cable with a strength of 1000 kg Double bearings Additional load protection 3-step saddle adjustment Dimensions (when unfolded): length: 165 cm width: 118 cm height: 205 cm Backrest dimensions: length: 55 cm width: 23 cm thickness: 5 cm Seat dimensions: length: 41 cm width: 34 cm thickness: 5 cm Stack weight: 67.5 kg Product weight: 142 kg Maximum user weight: 120 kg





6	17-50-012	5907695500707	TYTAN 12 HOME GYM HMS	EUR	413.5	Product dimensions: length: 223 cm width: 160 cm height: 210 cm Accessories: butterfly apparatus high pulley low pulley leg developer dip station push-up station preacher curl adjustable bench Weight stack: 68 kg Dumbbells 1,5 kg (2 pcs) Product weight: 142,5 kg Maximum user weight: 110 kg	
---	-----------	---------------	-----------------------	-----	-------	--	--



7	17-50-017	5907695596724	TYTAN 13 HOME GYM HMS	E	UR	940		Dimensions: width: 240 cm with a width of 300 cm with a bench height: 210 cm length: 242 cm Bench with a length of 124 cm with a bench width of 61 cm with a bench width of 61 cm with a padding thickness of 5 cm Height of the bench 50 cm Atlas seat: with a length of 35 cm with a width of 30 cm with a padding thickness of 5 cm 4-step seat adjustment by 9.5 cm Atlas backrest: with a length of 42 cm with a width of 28 cm with a padding thickness of 5 cm 5-step backrest adjustment by 13 cm Atlas headrest: by 24 x 21 cm The thickness of the padding is 5 cm Stack Stack weight: 46.8 kg Number of Plates: 9 + Plate zero Plate weight: 4.5 kg Zero plate weight: 6.3 kg Butterfly Grip width: 87 cm Roman chair Arm length: 58 cm Arm spacing: 74 cm Lower lift Two independently operating arms 6-step height adjustment system Product weight: 228kg Number of cartons: 6 pcs.
---	-----------	---------------	-----------------------	---	----	-----	--	---





11 17-51-002	5907695500813	ATLAS X2 SMITH MACHINE HMS	EUR	1119	ler dia Be Lir Ty Ho Mi	imensions: Ingth: 242 cm Ingth without bench: 167 cm Ingth without bench: 167 cm Ingth: 205 cm Ingth: 219 cm Ingth: 219 cm Ingth: 196 cm Ingth: 206 cm Ingth: 207 cm Ingth
--------------	---------------	----------------------------	-----	------	---	--



12	17-51-003	5907695588491	ATLAS X3 SMITH MACHINE HMS	EUR	337.5	Material: steel Dimensions of the product: Length: 112 cm Width (without a bar) 117 cm Height: 191.5 cm Bar Length: 185 cm Diameter of the grip part: 102 cm Grip diameter: 32 mm Weight diameter: 50 cm / 25 cm Weight: 13 kg Push-up supports: Length of the hand rails: 15 cm Diameter of the hand rails: 30 mm Span of the hand rails: 50 cm Leg holder: Length: 40 cm Height: 14 cm (Lower edge) Belay system 8 levels Stand for weighs 19.5 cm Linear bearing in the machine's mechanism Possibility to train on a bench Maximal load: 136 kg	
----	-----------	---------------	----------------------------	-----	-------	---	--



13	17-51-004	5907695596694	ATLAS ATOM SMITH MACHINE HMS PREMIUM	EUR	1029		Dimensions of the product: Length: 231 cm Width: 139.5 cm, with the bar 213 cm Height: 217 cm Backrest: 67.5 x 31 x 6.5 cm Seat: 37 x 32 x 6.5 cm Span of the handles at the press arm: 69 - 54 cm Single foot stand for leg press stand: 30 x 14.5 cm Adjustable height of the foot stands on the leg press station: 3 evels, every 3 cm Bar ength: 213 cm Diameter: 32 mm Diameter: 32 mm Diameter: 32 mm Diameter of the place for weights: 25 cm / 50 cm weight: 10.5 kg Bar: 115,5 cm, dia. 33 mm Pulley height regulation: 20 levels Cord tension regulation Belay system 15 levels Rack: 62.5 kg Max weight of the user: 120 kg Product weight: 217.5 kg Exercise equipment Smith machine Two adjustable height pulleys Pull-up bar Butterfly / Press arm
----	-----------	---------------	--------------------------------------	-----	------	--	--



14	17-51-120	5907695553215	KLT21 POWER RACK HMS	EUR	235	Cage dimensions: Height: 214 cm Width: 116 cm Depth: 133 cm Distance between frames: 83 cm Frame width: 4 cm Frame opening diameter: 3 cm Pull-up bar: Length: 85, cm Depth: 12 cm Length of grip section: 12 cm Height adjustment: 16-step Range from 46 to 166 cm Safety profiles: Length: 108 cm Width 2.5 cm Handles: Length 20 cm Width 2.5 cm Total weight: 62 kg Colour: Red and black Maximum load: 200 kg	
----	-----------	---------------	----------------------	-----	-----	--	--



15	17-51-121	5907695553260	KLT22 MULTIFUNCTIONAL FOLDING POWER RACK SILVER HMS	EUR	611.1	Training cage Total height after folding: 276 cm Height when unfolded: 230 cm Total width: 142 cm External width between frames: 124 Internal width between frames: 109 cm Width of the frame from the wall when unfolded: 54 cm Width of the frame from the wall after folding: 10 cm Main frame: 75 x 75 x 3.5 mm Color: black and silver A stopper to prevent the cage from falling: yes Minimum mounting surface for mounting the cage: Height: 276 cm Depth: 150 cm Width: 150 cm Maximum load: 300 kg Pull rod Width: 110 cm Depth: 20.5 cm Extension of the wall extension after unfolding: 73 cm Extension of the wall extension after folding: 31 cm Neck hooks: Width: 7.5 cm Height: 17 cm Height control: 48-164 cm Bench: Length: 100 cm Width: 30.5 cm Height when unfolded: 48 cm Width from the wall when unfolded: 140 cm Width from the wall after folding: 16.5 cm Additional material: PU leather + PVC Dip rail: Maximum width: 53 cm Arm diameter: 4 cm Arm length: 58 cm Total length: 95 cm
----	-----------	---------------	---	-----	-------	---



166	17-51-122	5907695553277	KLT23 FOLDING POWER RACK SILVER HMS	EUR	366.7		Training cage Total height after folding: 276 cm Height when unfolded: 230 cm Total width: 142 cm External width between frames: 124 Internal width between frames: 109 cm Distance of the frame from the wall after unfolding: 54 cm Distance of the frame from the wall after assembly: 10 cm Main frame: 75 x 75 x 3.5 mm Color: black and silver A stopper to prevent the cage from falling: yes Minimum area required for cage installation: Height: 276 cm Depth: 150 cm Width: 150 cm Maximum load: 300 kg Pull rod Width: 110 cm Depth: 20.5 cm Extension of the wall extension after unfolding: 73 cm Extension of the wall extension after folding: 31 cm Neck hooks: Width: 7.5 cm Height: 17 cm Height adjustment: 48-164 cm Safety supports: Length: 60 cm Width: 5 cm Height control: 90-170 cm Assembly selected on frames: 21-step height adjustment Every 5.5 cm Material: Steel (powder coated)
-----	-----------	---------------	-------------------------------------	-----	-------	--	---



17 1	17-51-123	5907695553543	KLT3110 SET POWER RACK WITH EQUIPMENT COMMERCIAL HMS	EUR	836.7	Cage Height: 214 cm Width: 120 cm Depth: 106 cm Distance between frames: 73/107 cm Frame width: 6 cm Diameter of the hole in the frame: 1.5 cm Height adjustment: S5 degrees Range from 25 to 187 cm (every 1 cm up to a height of 138 cm then every 3.5 cm) Pull rod: Length: 105 cm Depth: 19 cm Safety supports: Length: 42.5 cm Width 5 cm Maximum load: 250 kg Pins: Length 21 cm Diameter: 5 cm Quantity: 4 Maximum load on one pin: 60 kg Handles: Length: 13 cm Width 3.5 cm Maximum load: 250 kg Seatbelts Length: 73 cm Maximum load: 250 kg Monolift: Length: 52.5 cm Maximum load: 250 kg Neck storage space: yes Maximum load: 250 kg Neck storage space: yes Maximum load: 250 kg Number of accessory hooks: 6 Anti-slip feet: yes Number of rods for expansion bands: 4	cm,
------	-----------	---------------	--	-----	-------	--	-----



18	17-51-124	5907695553598	KLT22 MULTIFUNCTIONAL FOLDING POWER RACK RED HMS	EUR	611.1	Total height after folding: 276 cm Height when unfolded: 230 cm Total width: 142 cm External width between frames: 124 Internal width between frames: 109 cm Width of the frame from the wall when unfolded: 54 cm Width of the frame from the wall after folding: 10 cm Main frame: 75 x 75 x 3.5 mm Color: black and red A stopper to prevent the cage from falling: yes Minimum mounting surface for mounting the cage: Height: 276 cm Depth: 150 cm Width: 150 cm Maximum load: 300 kg Pull rod Width: 110 cm Depth: 20.5 cm Extension of the wall extension after unfolding: 73 cm Extension of the wall extension after folding: 31 cm Neck hooks: Width: 7.5 cm Height: 17 cm Height: 17 cm Height: 100 cm Width: 30.5 cm Height: 100 cm Width from the wall when unfolded: 140 cm Width from the wall after folding: 16.5 cm Additional material: PU leather + PVC Dip rali: Maximum width: 53 cm Arm diameter: 4 cm Arm length: 58 cm Total length: 95 cm
----	-----------	---------------	--	-----	-------	--



19	17-51-125	5907695553604	KLT23 FOLDING POWER RACK RED HMS	EUI	JR :	366.7		Training cage Total height after folding: 276 cm Height when unfolded: 230 cm Total width: 142 cm External width between frames: 124 Internal width between frames: 109 cm Distance of the frame from the wall after unfolding: 54 cm Distance of the frame from the wall after assembly: 10 cm Main frame: 75 x 75 x 3.5 mm Color: black and red A stopper to prevent the cage from falling: yes Minimum area required for cage installation: Height: 276 cm Depth: 150 cm Width: 150 cm Maximum load: 300 kg Pull rod Width: 110 cm Depth: 20.5 cm Extension of the wall extension after unfolding: 73 cm Extension of the wall extension after folding: 31 cm Neck hooks: Width: 7.5 cm Height: 17 cm Height adjustment: 48-164 cm Safety supports: Length: 60 cm Width: 5 cm Height control: 90-170 cm Assembly selected on frames: 21-step height adjustment Every 5.5 cm Material: Steel (powder coated)
----	-----------	---------------	----------------------------------	-----	------	-------	--	--



20 17-51-126	5907695558470	KLT3111 POWER RACK WITH ACCESSORIES HMS	EUR 375.	Diameter: 2,6 cm Maximum load: 250 kg Bolts Length: 22 cm Diameter: 2,6 cm Number: 4 Maximum load per bolt: 60 kg Griffins holder Height: 13 cm Width: 6 cm Maximum load: 250 kg Dip rail Length: 37 cm Diameter: 2.6 cm Diameter of the grip part: 3 cm Non-slip feet: yes



21	17-51-130	5907695553550	BSP301 PNEUMATIC WALL-MOUNTED TRAINING GATE COMMERCIAL HMS	EUR	1315	Pneuma Adjustin Change Handle Numbe Stack w Touch s Numbe Templa Pegs ind Display Time: yi Calories Heart ra Average Highest Numbe Load: yi Single of Double Length Height: 28 level From 24 Force tr 1:4 (as a divided 1:2 (who during the Gate siz Width: Depth: Height: Adverse acrylic acr	s: yes ate: yes ate: yes apower: yes apower: yes r of repetitions: yes as able length: 150 cm cord length: 300 cm of lines of the whole set: 686 cm adjustment of steel cables: ls 4 to 182 cm ransmission ratio: a standard, the weight of a stack during training is by four) and you connect the snap hooks the weight of the stack training is divided by four) see: 62 cm 20 cm 197 cm als: Steel + aluminium + Q235A + rubber + aluminium + the PVC + PU + PP see: 200 x 66 x 18.7 cm
----	-----------	---------------	--	-----	------	--	---



22 17-51-13	. 5907695553567	BS302 DOUBLE WALL-MOUNTED TRAINING GATE WITH STACK COMMERCIAL HMS	EUR	1645	Adjustable load Manual load change Single stack adjustment: 2.5-50 kg Changing in 2.5 kg increments Handle change facility: yes Number of handles included: 2 Stack weight: 2x50 kg Single cable length: 210 cm Length of ropes of the whole set: 686 cm Height adjustment of steel cables: 26 levels Force transmission ratio: 1:4 (the weight of the stack during training is divided by four) Template to aid assembly: yes Pegs included: no Gate size: Width: 97 cm Depth: 20 cm Height: 197 cm Materials: Steel + aluminium + Q235A + rubber + aluminium acrylic + PVC + PU + PP	
-------------	-----------------	--	-----	------	--	--